




WUXI NICEAIR INDUSTRY  
PURIFICATION EQUIPEMNT CO.,LTD.



Just for your niceair

[www.niceair.cn](http://www.niceair.cn)



FOCUS ON THE DEVELOPMENT AND MANUFACTURE  
OF INDUSTRIAL COMPRESSED AIR PURIFICATION EQUIPMENT



Factory display

We are the manufacturer for filters and filter elements from China. Our factory was founded in 2010. Since the establishment of the factory. We have been committed to solve the problem of industrial purification for customers. To provide customers with the best purification solution, this is always our purpose.

Our main products include:

- Compressed air filter,
- Compressed air filter element
- vacuum pumps filter element
- Cyclone separation filter
- Gas drying equipment,
- High pressure filter,
- Stainless steel gas filter,
- Stainless steel liquid filter
- Natural gas filter
- Bag filter
- Muffler
- We can manufacture products based on customer drawings. Or design and manufacture purification products according to customers' requirements

After years of efforts. We have accumulated a wealth of product design and manufacturing experience.

We are confident to help customers improve product quality and reduce costs.

## STAINLESS STEEL LIQUID FILTER

### Product profile


For the production of pure stainless steel, corrosion resistance, this kind of filter is small in size, light weight, convenient use, large filtering area, low block rate, filtering speed, no pollution, thermal dilute stability and chemical stability is good. This filter can filter out most of the particles, so widely used in precision filtration and aseptic technique. Filter tube interior core can be equipped with 1, 3, 5, 7, 9, 11, 13, 15 core such as folding filter length has 5,10, 20, 30, 40 inches filter material of PTFE , PES, PP, SS304, SS316. Filter aperture are: 0.1 um and 0.22 um, 1um, 3 um, 5 um, 10 um, etc. Applicable and hydrophobic (gas) and hydrophilic liquid (liquid) filter, can choose according to need.

### Technical parameters

- Working pressure: 0.2~ 1.6MPa
- Filtration precision: ~0.01um
- Interface form: Screw thread. Clamp joint. Flange
- INLET&OUTLET: DN15~DN200
- The flange standard: HG GB SH HG JB ANSI JIS
- Working temperature: ≤120°C
- Filter element material: SS304.SS316. PTFE. PP. Metal sintered filter element
- Filter housing material: SS304, SS316L

### Application field

- chemical factory
- Food factory
- electronic equipment factory
- Laboratory
- hospital , etc



No.	Filter Element		Connection	Dimensions				
	Quantity	Length		A	B	C	D	E
1	1	10"	DN25	550	400	80	102	200
2		20"		800	650			
3		30"		1050	900			
4	3	10"	DN32	650	450	120	200	320
5		20"		900	700			
6		30"		1150	950			
7	5	10"	DN40	650	450	120	219	350
8		20"		900	700			
9		30"		1150	950			
10	7	10"	DN50	700	450	150	250	400
11		20"		950	700			
12		30"		1200	950			
13		40"		1450	1200			
14	9	10"	DN65	750	450	150	300	450
15		20"		1000	700			
16		30"		1250	950			
17		40"		1500	1200			
18	12	10"	DN65	800	550	200	350	500
19		20"		1100	800			
20		30"		1350	1050			
21		40"		1600	1300			
22	15	10"	DN80	850	550	200	400	550
23		20"		1100	800			
24		30"		1350	1050			
25		40"		1600	1300			
26	21	10"	DN80	900	600	200	450	600
27		20"		1150	850			
28		30"		1400	1100			
29		40"		1650	1350			

TECHNICAL DETAILS	
Working medium	Liquid
Filter rating	0.2、1、3、5、10μm ...
Working pressure	< 1.6MPa
Working temperature	< 85°C
Filter housing material	SS304、SS316L
Filter element material	PTFE、PP、SS304、SS316L
Filter housing connection	Clamp、Flange、Thread
Filter element connection	222、226 ...

**WUXI NICEAIR INDUSTRY PURIFICATION EQUIPMENT CO., LTD.**

Address: No. 7 Science And Technology Park, Jinshanbei Industry Park, Wuxi, Jiangsu, China

Tel: +86-13951567050

Fax: +86-510-83073170

E-Mail: [kungcf@126.com](mailto:kungcf@126.com)

[niceairfilter@163.com](mailto:niceairfilter@163.com)

Web site : [www.niceair.cn](http://www.niceair.cn)